

## Configurando as tabelas de módulo

[EAD FIT](#) ► Configurando as tabelas de módulo

This script generated 11 warnings - [Scroll to the first warning](#)

### exercise

```
(mysql): CREATE TABLE mdl_exercise ( id BIGINT(10) unsigned NOT NULL auto_increment, course BIGINT(10) unsigned NOT NULL DEFAULT 0, name VARCHAR(255) NOT NULL DEFAULT "", nelements SMALLINT(3) unsigned NOT NULL DEFAULT 1, phase SMALLINT(3) unsigned NOT NULL DEFAULT 0, gradingstrategy SMALLINT(3) unsigned NOT NULL DEFAULT 1, usemaximum SMALLINT(3) unsigned NOT NULL DEFAULT 0, assessmentcomps SMALLINT(3) unsigned NOT NULL DEFAULT 2, anonymous SMALLINT(3) unsigned NOT NULL DEFAULT 1, maxbytes BIGINT(10) unsigned NOT NULL DEFAULT 100000, deadline BIGINT(10) unsigned NOT NULL DEFAULT 0, timemodified BIGINT(10) unsigned NOT NULL DEFAULT 0, grade SMALLINT(3) NOT NULL DEFAULT 0, gradinggrade SMALLINT(3) NOT NULL DEFAULT 0, showleaguetable SMALLINT(3) unsigned NOT NULL DEFAULT 0, usepassword SMALLINT(3) unsigned NOT NULL DEFAULT 0, password VARCHAR(32) NOT NULL DEFAULT "", CONSTRAINT PRIMARY KEY (id) )
```

1050: Table 'mdl\_exercise' already exists

```
ADOConnection._Execute(CREATE TABLE mdl_exercise (
id BIGINT(10) unsigned NOT NULL auto_increment,
course BIGINT(10) unsigned NOT NULL DEFAULT ..., false) % line 891, file: adodb.inc.php
ADOConnection.Execute(CREATE TABLE mdl_exercise (
id BIGINT(10) unsigned NOT NULL auto_increment,
course BIGINT(10) unsigned NOT NULL DEFAULT ...) % line 89, file: dlllib.php
execute_sql(CREATE TABLE mdl_exercise (
id BIGINT(10) unsigned NOT NULL auto_increment,
course BIGINT(10) unsigned NOT NULL DEFAULT ..., true) % line 2277, file: dlllib.php
execute_sql_arr(Array[17]) % line 635, file: dlllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

**Erro** [Scroll to next warning](#)

```
(mysql): ALTER TABLE mdl_exercise COMMENT='Defines exercise'
```

Sucesso

```
(mysql): CREATE TABLE mdl_exercise_submissions ( id BIGINT(10) unsigned NOT NULL auto_increment, exerciseid BIGINT(10) unsigned NOT NULL DEFAULT 0, userid BIGINT(10) unsigned NOT NULL DEFAULT 0, title VARCHAR(100) NOT NULL DEFAULT "", timecreated BIGINT(10) unsigned NOT NULL DEFAULT 0, resubmit SMALLINT(3) unsigned NOT NULL DEFAULT 0, mailed SMALLINT(3) unsigned NOT NULL DEFAULT 0, isexercise SMALLINT(3) unsigned NOT NULL DEFAULT 0, late SMALLINT(3) unsigned NOT NULL DEFAULT 0, CONSTRAINT PRIMARY KEY (id) )
```

1050: Table 'mdl\_exercise\_submissions' already exists

```
ADOConnection._Execute(CREATE TABLE mdl_exercise_submissions (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned N..., false) % line 891, file: adodb.inc.php
ADOConnection.Execute(CREATE TABLE mdl_exercise_submissions (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned N...) % line 89, file: dlllib.php
execute_sql(CREATE TABLE mdl_exercise_submissions (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned N..., true) % line 2277, file: dlllib.php
execute_sql_arr(Array[17]) % line 635, file: dlllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

[Scroll to previous warning](#) **Erro** [Scroll to next warning](#)

```
(mysql): ALTER TABLE mdl_exercise_submissions COMMENT='Info about submitted work from teacher and students'
```

Sucesso

```
(mysql): CREATE TABLE mdl_exercise_assessments ( id BIGINT(10) unsigned NOT NULL auto_increment, exerciseid BIGINT(10) unsigned NOT NULL DEFAULT 0, submissionid BIGINT(10) unsigned NOT NULL DEFAULT 0, userid BIGINT(10) unsigned NOT NULL DEFAULT 0, timecreated BIGINT(10) unsigned NOT NULL DEFAULT 0, timegraded BIGINT(10) unsigned NOT NULL DEFAULT 0, grade DOUBLE NOT NULL DEFAULT 0, gradinggrade SMALLINT(3) NOT NULL DEFAULT 0, mailed TINYINT(2) unsigned NOT NULL DEFAULT 0, generalcomment TEXT NOT NULL, teachercomment TEXT NOT NULL, CONSTRAINT PRIMARY KEY (id) )
```

1050: Table 'mdl\_exercise\_assessments' already exists

```
ADOConnection._Execute(CREATE TABLE mdl_exercise_assessments (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned N..., false) % line 891, file: adodb.inc.php
ADOConnection.Execute(CREATE TABLE mdl_exercise_assessments (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned N...) % line 89, file: dlllib.php
execute_sql(CREATE TABLE mdl_exercise_assessments (
id BIGINT(10) unsigned NOT NULL auto_increment,
```

```
exerciseid BIGINT(10) unsigned NOT NULL, true) % line 2277, file: dmllib.php
execute_sql_arr(Array[17]) % line 635, file: ddllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

[Scroll to previous warning](#) **Erro** [Scroll to next warning](#)

---

(mysql): ALTER TABLE mdl\_exercise\_assessments COMMENT='Info about assessments by teacher and students'

---

Sucesso

---

(mysql): CREATE TABLE mdl\_exercise\_elements ( id BIGINT(10) unsigned NOT NULL auto\_increment, exerciseid BIGINT(10) unsigned NOT NULL DEFAULT 0, elementno SMALLINT(3) unsigned NOT NULL DEFAULT 0, description TEXT NOT NULL, scale SMALLINT(3) unsigned NOT NULL DEFAULT 0, maxscore SMALLINT(3) unsigned NOT NULL DEFAULT 1, weight SMALLINT(3) unsigned NOT NULL DEFAULT 11, CONSTRAINT PRIMARY KEY (id) )

---

1050: Table 'mdl\_exercise\_elements' already exists

```
ADOConnection->Execute(CREATE TABLE mdl_exercise_elements (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned NOT NULL, false) % line 891, file: adodb.inc.php
ADOConnection->Execute(CREATE TABLE mdl_exercise_elements (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned NOT NULL) % line 89, file: dmllib.php
execute_sql(CREATE TABLE mdl_exercise_elements (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned NOT NULL, true) % line 2277, file: dmllib.php
execute_sql_arr(Array[17]) % line 635, file: ddllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

[Scroll to previous warning](#) **Erro** [Scroll to next warning](#)

---

(mysql): ALTER TABLE mdl\_exercise\_elements COMMENT='Info about marking scheme of assignment'

---

Sucesso

---

(mysql): CREATE TABLE mdl\_exercise\_rubrics ( id BIGINT(10) unsigned NOT NULL auto\_increment, exerciseid BIGINT(10) unsigned NOT NULL DEFAULT 0, elementno BIGINT(10) unsigned NOT NULL DEFAULT 0, rubricno SMALLINT(3) unsigned NOT NULL DEFAULT 0, description TEXT NOT NULL, CONSTRAINT PRIMARY KEY (id) )

---

1050: Table 'mdl\_exercise\_rubrics' already exists

```
ADOConnection->Execute(CREATE TABLE mdl_exercise_rubrics (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned NOT NULL, false) % line 891, file: adodb.inc.php
ADOConnection->Execute(CREATE TABLE mdl_exercise_rubrics (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned NOT NULL) % line 89, file: dmllib.php
execute_sql(CREATE TABLE mdl_exercise_rubrics (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned NOT NULL, true) % line 2277, file: dmllib.php
execute_sql_arr(Array[17]) % line 635, file: ddllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

[Scroll to previous warning](#) **Erro** [Scroll to next warning](#)

---

(mysql): ALTER TABLE mdl\_exercise\_rubrics COMMENT='Info about the rubrics marking scheme'

---

Sucesso

---

(mysql): CREATE TABLE mdl\_exercise\_grades ( id BIGINT(10) unsigned NOT NULL auto\_increment, exerciseid BIGINT(10) unsigned NOT NULL DEFAULT 0, assessmentid BIGINT(10) unsigned NOT NULL DEFAULT 0, elementno BIGINT(10) unsigned NOT NULL DEFAULT 0, feedback TEXT NOT NULL, grade SMALLINT(3) NOT NULL DEFAULT 0, CONSTRAINT PRIMARY KEY (id) )

---

1050: Table 'mdl\_exercise\_grades' already exists

```
ADOConnection->Execute(CREATE TABLE mdl_exercise_grades (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned NOT NULL, false) % line 891, file: adodb.inc.php
ADOConnection->Execute(CREATE TABLE mdl_exercise_grades (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned NOT NULL) % line 89, file: dmllib.php
execute_sql(CREATE TABLE mdl_exercise_grades (
id BIGINT(10) unsigned NOT NULL auto_increment,
exerciseid BIGINT(10) unsigned NOT NULL, true) % line 2277, file: dmllib.php
execute_sql_arr(Array[17]) % line 635, file: ddllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

[Scroll to previous warning](#) **Erro** [Scroll to next warning](#)

(mysql): ALTER TABLE mdl\_exercise\_grades COMMENT='Info about individual grades given to each element'

Sucesso

(mysql): INSERT INTO mdl\_log\_display(module, action, mtable, field) VALUES ('exercise', 'close', 'exercise', 'name')

1062: Duplicate entry 'exercise-close' for key 2

```
ADODConnection->Execute(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'close', 'exercise', 'name'), false) % line 891, file:
ADODConnection->Execute(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'close', 'exercise', 'name')) % line 89, file: dmllib.php
execute_sql(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'close', 'exercise', 'name'), true) % line 2277, file: dmllib.php
execute_sql_arr(Array[17]) % line 635, file: ddllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

[Scroll to previous warning](#) **Erro** [Scroll to next warning](#)

(mysql): INSERT INTO mdl\_log\_display(module, action, mtable, field) VALUES ('exercise', 'open', 'exercise', 'name')

1062: Duplicate entry 'exercise-open' for key 2

```
ADODConnection->Execute(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'open', 'exercise', 'name'), false) % line 891, file:
ADODConnection->Execute(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'open', 'exercise', 'name')) % line 89, file: dmllib.php
execute_sql(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'open', 'exercise', 'name'), true) % line 2277, file: dmllib.php
execute_sql_arr(Array[17]) % line 635, file: ddllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

[Scroll to previous warning](#) **Erro** [Scroll to next warning](#)

(mysql): INSERT INTO mdl\_log\_display(module, action, mtable, field) VALUES ('exercise', 'submit', 'exercise', 'name')

1062: Duplicate entry 'exercise-submit' for key 2

```
ADODConnection->Execute(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'submit', 'exercise', 'name'), false) % line 891, file:
ADODConnection->Execute(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'submit', 'exercise', 'name')) % line 89, file: dmllib.php
execute_sql(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'submit', 'exercise', 'name'), true) % line 2277, file: dmllib.php
execute_sql_arr(Array[17]) % line 635, file: ddllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

[Scroll to previous warning](#) **Erro** [Scroll to next warning](#)

(mysql): INSERT INTO mdl\_log\_display(module, action, mtable, field) VALUES ('exercise', 'view', 'exercise', 'name')

1062: Duplicate entry 'exercise-view' for key 2

```
ADODConnection->Execute(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'view', 'exercise', 'name'), false) % line 891, file:
ADODConnection->Execute(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'view', 'exercise', 'name')) % line 89, file: dmllib.php
execute_sql(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'view', 'exercise', 'name'), true) % line 2277, file: dmllib.php
execute_sql_arr(Array[17]) % line 635, file: ddllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

[Scroll to previous warning](#) **Erro** [Scroll to next warning](#)

(mysql): INSERT INTO mdl\_log\_display(module, action, mtable, field) VALUES ('exercise', 'update', 'exercise', 'name')

1062: Duplicate entry 'exercise-update' for key 2

```
ADODConnection->Execute(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'update', 'exercise', 'name'), false) % line 891, file:
ADODConnection->Execute(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'update', 'exercise', 'name')) % line 89, file: dmllib.php
execute_sql(INSERT INTO mdl_log_display(module, action, mtable, field) VALUES ('exercise', 'update', 'exercise', 'name'), true) % line 2277, file: dmllib.php
execute_sql_arr(Array[17]) % line 635, file: ddllib.php
install_from_xmldb_file(/home/torricel/public_html/mdl19/mod/exercise/db/install.xml) % line 390, file: adminlib.php
```

[Scroll to previous warning](#) **Erro** [Scroll to continue button](#)

exercise tables could NOT be set up successfully!

Continuar

 [Documentação de Moodle relativa a esta página](#)

Você acessou como **Administrador EAD Torricelli** (Sair)

Home Page